Safe & durable





0,

WITT- Accessories for Oxygen Lancing

from the withdrawal of the gas up to the lance

Lance Holders

for a safe and convenient holding of the lance

- against reverse gas flow and flashbacks
- for a quick and safe exchange
- optionally with

lever valve shut-off-valve emergency stop

- available as compact model with integrated safety and lever valve

Hoses & supplies

for a quick and safe coupling and a reliable reeling-up

- hoses with safety coating
- automatic hose reels, secure interlock

Pressure Regulator

high-performance and low-maintenance

- single pressure regulators or complete pressure regulator stations

Ball Valves

burn-out-safe, BAM tested

WITT Gas Controls LP Tel +1 888 948 8427

Installation example

380 Winkler Drive, STE 200 Fax +1 877 948 8427 Alpharetta, GA. 29004, USA witt-usa@wittgas.com





High quality components







Lance holders for oxygen lances

Non-return valve with temperature sensitive cut-off valve

Lever valve for an immediate stop of the gas-flow by releasing





Compact Lance Holder, with lancing valve and non-return valve with temperature sensitive cut-off valve

Lance holder with "dead-man's handle"

Hoses & supplies





WITT Gas Controls LP Tel +1 888 948 8427 380 Winkler Drive, STE 200 Fax +1 877 948 8427

cover

Alpharetta, GA. 29004, USA witt-usa@wittgas.com

Safety hose with safety coating

Automatic safety hose reel with all-round roller guide, safe locking mechanism, also with pivotable wall mount and protective

... for every requirement!



Pressure Regulators



Compact pressure regulating stations 1x1 or manually changeable 2x1 for central gas supplies, stationary or to fit on bundles

Dome pressure regulator set, powerful and low-maintenance for mounting in pipeworks, own medium controlled

Compact pressure regulating station with dome pressure regulator and "dead-man's handle", with adjustable increase of operating pressure at start

Pressure regulators, for an efficient, steady and safe oxygen feed

Ball Valves / Shut-off-Valves




Ball valve with female threaded connection, 3/8"- 1.1/4", up to 40 bar, burn-out safe

Gate valve for manual disruption of gas supply, 1/2"- 1.1/2", up to 25 bar

WITT Gas Controls LP Tel +1 888 948 8427 380 Winkler Drive, STE 200 Fax +1 877 948 8427 Alpharetta, GA. 29004, USA witt-usa@wittgas.com

Oxygen lancing equipment by WITT: for any application





WITT Gas Controls LP Tel +1 888 948 8427 380 Winkler Drive, STE 200 Fax +1 877 948 8427 Alpharetta, GA. 29004, USA witt-usa@wittgas.com